



## UNIVERSITY OF KERALA

Thiruvananthapuram, Kerala, India – 695034

(Established as University of Travancore by the Travancore University Act in 1937 and reconstituted as University of Kerala by the Kerala University Act of 1957 and presently governed by the Kerala University Act of 1974 passed by the Kerala State Legislative Assembly)

**(Re-accredited by NAAC with A++ Grade)**

28411/Admn B IV/2026/UOK

18.09.2026

### **TENDER NOTICE (RE-TENDER)**

Sealed competitive Tenders are invited from competent vendors/suppliers within Kerala, for the Supply, Installation, Testing and Commissioning of Audio Equipment for the Senate Hall, University of Kerala, Senate House Campus, Thiruvananthapuram.

#### **Technical Specifications:**

| Sl no. | Equipment                                                                                                                                                                                                                                                                                                                                                      | Qty.  |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 1      | Supply and installation of 12 Channel professional analog mixer, 6 mic/12 line input Mic Preamps, +48V phantom power, 4 or 6 One-knob Compressors, 3-band EQ, built in effects, USB audio interface, 2 X AUX, headphone output, XLR balanced outputs, frequency response: 20Hz-20Khz, THD: <0.03%<br>Preferred brands: Yamaha/Allen and Heath/Behringer        | 1 No. |
| 2      | Supply and installation of 500W mixer amplifier Amplifier, 500W RMS at 10% THD, 7X Mic, 2X AUX, 50-15,000Hz frequency response, 60dB SN Ratio, Bass, treble tone control, Circuit breaker, overload protection, Preamp output & Line output Preferred brands: Ahuja/JBL/Yamaha/Equivalent                                                                      | 1 No. |
| 3      | Supply and installation of wired Goose neck Microphone for Podium Professional high quality 18 inch or better gooseneck mic with base, Electret bias condenser, Cardioid polar pattern, -35dBV/Pa or better Sensitivity, on/ off switch required, 120dB SPL<br>Preferred brands: Shure, AKG, Audio technical/ Equivalent                                       | 1 No. |
| 4      | Supply and installation of duel channel wireless microphone, Dual UHF Wireless microphone 2 X Hand held. 50Hz-16KHz frequency response, Individual Channel and Mix out: ¼" Jack, Cardioid polar pattern.<br>Preferred brands: AKG/Shure/Audiotechnica/Equivalent                                                                                               | 1 No. |
| 5      | Supply and installation of powered feedback/ stage monitoring speaker Active two-way stage monitor Continuous output power: Minimum 400 W RMS, 15-inch low-frequency driver, Minimum 1"or 1.4-inch HF compression driver, Frequency response: 55 Hz–20 kHz or better, Maximum SPL: Minimum 126 dB, XLR Mic/Line input and XLR Line output, Floor monitor angle | 1 No. |



|    |                                                                                                                                                                                                                                                                                                                                                      |          |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
|    | Preferred brands: Yamaha/JBL/Dynatech/Equivalent                                                                                                                                                                                                                                                                                                     |          |
| 6  | Supply and installation of Passive 2-way full-range loudspeaker, Low Frequency Driver: 12-inch woofer High Frequency Driver: Minimum 1-inch compression driver with horn, Continuous Power Handling: 150–200 W RMS minimum, Frequency Response: 60 Hz–20 kHz or better, tripod/pole mount socket<br>Preferred brands: Yamaha/JBL/Dynatech/Equivalent | 2 No.    |
| 7  | Heavy-duty tripod speaker stand<br>Compatibility: Suitable for above passive loudspeakers with standard 35 mm pole mount, Height adjustable and locking mechanism, Safety locking pin                                                                                                                                                                | 2 No.    |
| 8  | XLR Cable: Two-core shielded balanced cable, metal housing connectors, Gold or nickel plated connectors preferred                                                                                                                                                                                                                                    | 100 Mtr. |
| 9  | XLR Male and Female Connectors                                                                                                                                                                                                                                                                                                                       | 5 Set    |
| 10 | 6.35 mm EP male connectors gold plated                                                                                                                                                                                                                                                                                                               | 4 No.    |
| 11 | XLR to 3.5mm Cable- 3 to 5 Mtr., gold plated                                                                                                                                                                                                                                                                                                         | 1 No.    |
| 12 | Standard 19-inch – 12U equipment rack for assembling audio equipments, Floor-mounted, Heavy-duty CRCA steel sheet construction, Lockable toughened glass door, Lockable perforated steel door or removable rear access panel, Cooling Fan X 2 no., heavy-duty castor wheels with lock,<br>Preferred brands: Netrack, Valrack, Rittal, Schneider      | 1 No.    |

The Tender Forms can be downloaded from the Website of the University of Kerala [www.keralauniversity.ac.in](http://www.keralauniversity.ac.in). The cost of the Tender Form and Earnest Money Deposit (EMD) should be submitted as Demand Drafts (DD) issued from a Nationalised and Scheduled Commercial Banks, drawn in favour of the Finance Officer, University of Kerala, payable at State Bank of India, Kerala University Office Campus (KUOC) Branch (IFS Code : SBIN0070292), as described below :

|                                    |                              |
|------------------------------------|------------------------------|
| <b>Cost of Tender Form</b>         | <b>₹590/- (₹500+18% GST)</b> |
| <b>Earnest Money Deposit (EMD)</b> | <b>₹2669/-</b>               |

The cost of tender form will not be refunded and separate DDs towards the cost of the Tender Form and the EMD should be submitted. For more details, please log on to [www.keralauniversity.ac.in](http://www.keralauniversity.ac.in).

### **Conditions**

1. The rate quoted should be inclusive of GST, transportation charges, installation charges and any other charges.
2. Complaints with the items supplied should be rectified/replaced to the satisfaction of the University by the suppliers at their own cost.
3. Payment will be made only after the satisfactory installation of the item at our site.



4. The undersigned reserves the right to reject /accept any quotation without assigning any reason.
5. Compliance Statement should be submitted that includes all parameters as in specification, as detailed in Tender Document.

The sealed Tenders along with the tender document, separate DDs towards the cost of the Tender Form and the EMD, Compliance Statement and the technical specification/brochure should be addressed to "**The Registrar, University of Kerala, Senate House Campus, Thiruvananthapuram - 695 034**" superscribing: "**Tender for the Supply, Installation, Testing and Commissioning of Audio Equipment for the Senate Hall, University of Kerala, Senate House Campus, Thiruvananthapuram.**". The last date of receipt of Tenders is at 3.00 PM on **30.09.2026**. The Tenders will be opened at the Office of the Registrar, University of Kerala, on 3.30 PM on 02.09.2026 in the presence of vendors then present.

