

## DEPARTMENT OF POLITICAL SCIENCE University of Kerala

Kariavattom Campus, Thiruvananthapuram (Reaccredited by NAAC with 'A' Grade)
Ph: 0471 2308307/9847897595

20/7/2017

## **TENDER NOTICE**

Quotations are invited from accredited agencies for the supply of one Photocopier machine as per the specifications mentioned below. Quotations should be addressed to the Registrar, University of Kerala, Thiruvananthapuram.

The last date for the receipt of quotations shall be August 14, 2017 4.30 pm.

Quotations shall be sent by post to The Head, Department of Political Science, University of Kerala, Kariavattom P O. Thiruvananthapuram - 695581.

Head Political Science

## **Specifications for the Photocopier**

Description	Specification		
<u>Description</u> Type	Specification  A4 Monochrome Multifunctional Device (	Reader / Printer	
Турс	Desktop)		
Copy / Print Speed	A3: 10ppm		
Copy / I lint Speed	A3. 10ppin A4: 20ppm		
Warm-Up Time	13 secs		
Recovery from sleep mode	4.3 secs		
First Copy Time (A4)	7.4 secs		
Memory	128MB		
Interface (Others)	USB x 1		
Dimensions (W x D x H)			
	622 x 589 x 502mm		
Weight  Installation Space (W.v.D)	Approximately 28.7kg		
Installation Space (W x D)	921 x 589mm (when multi purpose tray is extended)		
Power Supply  May Power Consumption	220 – 240V AC, 50 / 60Hz, 2.4A	1.5kWh	
Max Power Consumption	Maximum Power Consumption:		
TD 37' 11 (A 4 20'	When the machine is in the Sleep mode:	2W	
Toner Yield (A4, 6% coverage)	Approx 10,200 sheets		
Drum Yield	Approx 61,700 sheets		
PRINT SPECIFICATIONS			
Description	Specification		
Print Resolution	600 x 600dpi		
Page Description Language(s)	UFRII LT (Standard)		
Print OS Compatibility	Windows 10 / 8.1 / 8 / 7 / Vista / XP, Windows Server 2003		
	/ Server 2003 R2 / Server 2008, Mac OS X 10.6.X or later		
COPY SPECIFICATIONS			
Description	Specification		
Copy Resolution	600 x 600dpi		
Multiple Copies/Prints	Up to 99 copies		
Magnification Magnification	25 – 400% (1% increment)		
	20 Took (The Interested)		
COLOUR SCAN			
COLOUR SCAN			
SPECIFICATIONS			
SPECIFICATIONS  Description	Specification		
SPECIFICATIONS  Description Pull Scan & Push Scan (MF	Specification BW / CLR: 300 x 300dpi		
Description Pull Scan & Push Scan (MF Toolbox)	BW / CLR: 300 x 300dpi		
SPECIFICATIONS  Description Pull Scan & Push Scan (MF	BW / CLR: 300 x 300dpi  1 sided BW: 23 sh	eets/minute	
Description Pull Scan & Push Scan (MF Toolbox) Scan Speed (A4, 300dpi)	BW / CLR: 300 x 300dpi  1 sided BW: 23 sh CL: 12 she	ets/minute	
Pull Scan & Push Scan (MF Toolbox) Scan Speed (A4, 300dpi)	BW / CLR: 300 x 300dpi  1 sided BW: 23 sh CL: 12 she Windows 10/8.1/8/7/Vista , Mac OS X 10	ets/minute .6.X or later	
Pull Scan & Push Scan (MF Toolbox) Scan Speed (A4, 300dpi)	BW / CLR: 300 x 300dpi  1 sided BW: 23 sh CL: 12 she	ets/minute .6.X or later	
Pull Scan & Push Scan (MF Toolbox) Scan Speed (A4, 300dpi)	BW / CLR: 300 x 300dpi  1 sided BW: 23 sh CL: 12 she Windows 10/8.1/8/7/Vista , Mac OS X 10	ets/minute 6.X or later TWAIN / WIA	

Description	Specification		
Paper Sizes	Casette 1	A3, B4, A4R, A4, B5, B5R, A5R,	
		India-LGL, FOOLSCAP	
	Multi Purpose Tray	A3, B4, A4R, A4, B5, B5R, A5,	
		A5R, India-LGL, FOOLSCAP,	
		Envelope (COM 10, Monarch, ISO-	
		C5, DL)	
Paper Input Capacity (Standard)	Cassette 1	250 sheets (80gsm)	
	Multi Purpose Tray	80 sheets (80gsm)	
Paper Weight	Cassette	Weight:	
		64 – 90gsm	
		Type:	
		Plain (64 – 90gsm), Recycled (65 –	
		80gsm), Colour ( 64 – 80gsm), Pre-	
		punched (75 – 80gsm)	
	Multi Purpose Tray	Weight:	
		64 – 128gsm	
		Type:	
		Plain (64 – 90gsm), Heavy 1 (91 –	
		105gsm), Heavy 2 (106 – 128gsm),	
		Recycled (65 – 80gsm), Colour (64	
		- 80gsm), Pre-punched (75 –	
		80gsm), Bond (75 – 90gsm),	
		Transparency, Label, Envelope	
DOCUMENT FEEDER - AT1			
Description	Specification		
Scanning Speed (Max)	Copying 1-sided scanning: 20ipm		
	(A4 in B / W at 600dpi)		

Head Department of Political Science