

QUOTATION NOTICE

Sealed quotations are invited from the eligible firms for the supply and installation of Analytical Weighing Balance in the Dept. of Environmental Sciences, University of Kerala, Kariavattom Campus.

Technical Specifications for Analytical Weighing Balance

Capacity	: 82g/220 g
Readability	: 0.1 mg
Linearity	: ± 0.3 mg
Repeatability	: 0,1 mg ($R_t \leq 50g$), 0,13 mg ($50g < R_t \leq 220g$)
Sensitivity drift	: 1 ppm/ $^{\circ}C$ in temperature $+10^{\circ} \div +40^{\circ}C$
Pan size	: \square 85 mm or above
Adjustment/calibration	: automatic internal calibration
Working temperature	: $+10^{\circ} - +40^{\circ}C$
Stabilization time	: 3.5 s
Interface	: 2 \times RS 232, USB-A, USB-B, WiFi – option
Certification	: CE, GLP Compliance, ISO 9001, OIML
ALIBI Memory	: up to 100000
Display	: Backlit LCD Display
Warranty	: 1 year

Conditions

1. The rate quoted should be inclusive of Tax, transportation charges and any other charges.
2. Complaints with the items supplied should be rectified /replaced to the satisfaction of the University by the suppliers at their own cost.

3. Payment will be made only after the supply of the items at our own site.
4. The undersigned reserves the right to reject /accept any quotation without assigning any reason.
5. The equipment should be installed in the Department of Environmental Sciences, University of Kerala.

The sealed quotations should reach **‘The Associate Professor and Head, Department of Environmental Sciences, University of Kerala, Kariavattom Campus P.O. Thiruvananthapuram-695 581, Kerala** on or before **20/10/2017** at **3.00 p.m.**